

Romanee Range



Specifications:

1. Multi colors available
2. Flexible screw hole, easier installation
3. Environment friendly silver alloy contact
4. Multiple frames are for your choice and customized

Romane Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	R301	1 gang 1 way switch	100pcs	0.034
	R302	1 gang 2 way switch	100pcs	0.034
	R303	2 gang 1 way switch	100pcs	0.034
	R304	2 gang 2 way switch	100pcs	0.034
	R305	3 gang 1 way switch	100pcs	0.034
	R306	3 gang 2 way switch	100pcs	0.034
	R307	4 gang 1 way switch(3x3)	100pcs	0.034
	R308	4 gang 2 way switch(3x3)	100pcs	0.034
	R309	5 gang 1 way switch(3x6)	100pcs	0.034
	R310	5 gang 2 way switch(3x6)	100pcs	0.034






R301 R302



R305 R306

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH





Picture	No.	Description	Carton	Volume(cbm)
	R313	1 gang 2 way intermediate switch	100pcs	0.034
	R317	10A bell switch(bell)	100pcs	0.029
	R319	10A bell switch(bell)+neon	100pcs	0.029



R317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	R324	20A 1 gang double pole switch+neon	100pcs	0.034
	R327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	R329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	R331	45A switch+neon+13A switched socket+neon	50pcs	0.029



R327

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)












Romane Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	R350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	R351	250W 1 gang speed switch	100pcs	0.034
	R353	250W 2 gang dimmer switch, single pole	50pcs	0.034
	R355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	R356	500W 2 gang dimmer switch, single pole	50pcs	0.034
	R555	1000W 1 gang dimmer switch, single pole	50pcs	0.034

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	R405	13A 1 gang switched socket, single pole	100pcs	0.034
	R406	13A 2 gang switched socket, single pole	50pcs	0.029
	R407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	R408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	R407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	R408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	R407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	R409	13A 1 gang switched socket, double pole	100pcs	0.034
	R410	13A 2 gang switched socket, double pole	50pcs	0.029
	R411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	R412	13A 2 gang switched socket, double pole+neons	50pcs	0.029






R405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

Romane Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	R4072	13A 1 gang socket+double USB+neon	100pcs	0.034
	R407U2	13A 1 gang multi-function socket+double USB+neon	100pcs	0.034
	R4082	13A 2 gang switched socket, single pole+double USB+neons	50pcs	0.029



R4072

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS



Picture	No.	Description	Carton	Volume(cbm)
	R429	15A 1 gang switched round-pin socket	100pcs	0.034
	R431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



R429






- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	R413	13A fused connection unit+neon	100pcs	0.034
	R419	13A switched FCU'S+neon	100pcs	0.034

- Conform to BS 1363: Part 4

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	R444	16A 2 gang multi-function socket	100pcs	0.034
	R445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	R446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	R458	shaver socket	25pcs	0.029
	R460	16A 1 gang multi-function socket	100pcs	0.034



R460

Romane Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	R432	coaxial socket,single outlet	100pcs	0.0286
	R433	coaxial socket,twin outlet	100pcs	0.0286
	R166	single satellite socket	100pcs	0.0331
	R168	double satellite socket	100pcs	0.0331



R432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	R452	telephone socket	100pcs	0.0286
	R438	1 gang telephone socket,secondary	100pcs	0.0286
	R439	1 gang telephone socket,master	100pcs	0.0286
	R440	2 gang telephone socket,secondary	100pcs	0.0286
	R442	1 gang RJ45 data socket(8 terminal)	100pcs	0.0331
	R443	2 gang RJ45 data socket(8 terminal)	100pcs	0.0331



R442

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	R820	20A connection plate	100pcs	0.0286
	R821	45A connection plate	100pcs	0.0331
	R401	1 gang blank plate	200pcs	0.0286
	R402	2 gang blank plate	100pcs	0.0252



R401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)