

Classic RANGE

Modern design, Stylish Look



1. Honeycomb design solid structure
2. Copper materials, safety guarantee
3. Modern design, Stylish Look

Classic Range

Modern design, Stylish Look

>> 10AMP PLATE SWITCHES



Picture	No.	Description	Carton	Volume(cbm)
	C301	1 gang 1 way switch	100pcs	0.034
	C302	1 gang 2 way switch	100pcs	0.034
	C303	2 gang 1 way switch	100pcs	0.034
	C304	2 gang 2 way switch	100pcs	0.034
	C305	3 gang 1 way switch	100pcs	0.034
	C306	3 gang 2 way switch	100pcs	0.034
	C307	4 gang 1 way switch(3×3)	100pcs	0.034
	C308	4 gang 2 way switch(3×3)	100pcs	0.034



C301 C302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH





Picture	No.	Description	Carton	Volume(cbm)
	C317	10A bell switch(bell)	100pcs	0.034
	C313	1 gang 2 way intermediate switch	100pcs	0.034



C317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C324	20A 1 gang double pole switch+neon	100pcs	0.034
	C327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	C329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	C331	45A switch+neon+13A switched socket+neon	50pcs	0.029




C324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Classic Range

Modern design, Stylish Look

>> DIMMER SWITCHES













Picture	No.	Description	Carton	Volume(cbm)
	C350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	C351	250W 1 gang speed switch	100pcs	0.034
	C353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	C355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	C356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	C555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	C556	1000W 2 gang dimmer switch, single pole	100pcs	0.034



C351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C405	13A 1 gang switched socket, single pole	100pcs	0.034
	C406	13A 2 gang switched socket, single pole	50pcs	0.029
	C409	13A 1 gang switched socket, double pole	100pcs	0.034
	C410	13A 2 gang switched socket, double pole	50pcs	0.029
	C407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	C407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	C408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	C408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	C411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	C412	13A 2 gang switched socket, double pole+neons	50pcs	0.029
	C4052	13A 1 gang socket+double USB	100pcs	0.034
	C405U2	13A 1 gang multi-function socket+double USB	100pcs	0.034



C405



C405U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Classic Range

Modern design, Stylish Look

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C429	15A 1 gang switched round-pin socket	100pcs	0.034
	C431	15A 1 gang switched round-pin socket+neon	100pcs	0.034








C431

- Conform to BS 546
- Material: Polycarbonate

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	C413	13A fused connection unit+neon	100pcs	0.034
	C419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	C444	16A 2 gang multi-function socket	100pcs	0.034
	C445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	C446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	C458	shaver socket	25pcs	0.029
	C460	16A 1 gang multi-function socket	100pcs	0.034



C445

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C432	coaxial socket, single outlet	100pcs	0.034
	C433	coaxial socket, twin outlet	100pcs	0.034
	C166	single satellite socket	100pcs	0.034
	C168	double satellite socket	100pcs	0.034



C432

Classic Range

Modern design, Stylish Look

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C452	telephone socket	100pcs	0.034
	C438	1 gang telephone socket, secondary	100pcs	0.034
	C439	1 gang telephone socket, master	100pcs	0.034
	C440	2 gang telephone socket, secondary	100pcs	0.034
	C442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	C443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



C438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	C820	20A connection plate	100pcs	0.034
	C821	45A connection plate	100pcs	0.034
	C401	1 gang blank plate	100pcs	0.034
	C402	2 gang blank plate	50pcs	0.029
	C450	Sensitive time switch	100pcs	0.034



C401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

