

# VICTORY RANGE



- UREA material, heat resistance
- Smooth sound and gentle touching feeling
- The installer's dream, the user's delight!

## Victory Range

### >> 10AMP PLATE SWITCHES

| Picture | No.   | Description                      | Carton | Volume(cbm) |
|---------|-------|----------------------------------|--------|-------------|
|         | V301  | 1 gang 1 way switch              | 100pcs | 0.034       |
|         | V302  | 1 gang 2 way switch              | 100pcs | 0.034       |
|         | V313  | 1 gang 2 way intermediate switch | 100pcs | 0.034       |
|         | V303  | 2 gang 1 way switch              | 100pcs | 0.034       |
|         | V304  | 2 gang 2 way switch              | 100pcs | 0.034       |
|         | V305  | 3 gang 1 way switch              | 100pcs | 0.034       |
|         | V306  | 3 gang 2 way switch              | 100pcs | 0.034       |
|         | V307A | 4 gang 1 way switch(3×3)         | 100pcs | 0.034       |
|         | V308A | 4 gang 2 way switch(3×3)         | 100pcs | 0.034       |
|         | V307B | 4 gang 1 way switch(3×3)         | 100pcs | 0.034       |
|         | V308B | 4 gang 2 way switch(3×3)         | 100pcs | 0.034       |
|         | V307  | 4 gang 1 way switch(3×6)         | 50pcs  | 0.029       |
|         | V308  | 4 gang 2 way switch(3×6)         | 50pcs  | 0.029       |
|         | V309  | 6 gang 1 way switch(3×6)         | 50pcs  | 0.029       |
|         | V310  | 6 gang 2 way switch(3×6)         | 50pcs  | 0.029       |



V301



V305



- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)





## Victory Range

### >> BELL SWITCH





| Picture   | No.  | Description                | Carton | Volume(cbm) |
|---|------|----------------------------|--------|-------------|
|  | V317 | 10A bell switch(bell)      | 100pcs | 0.034       |
|  | V319 | 10A bell switch(bell)+neon | 100pcs | 0.034       |



V317

- Conform to BS EN 60 669-1

### >> 20 AMP & 45 AMP SWITCHES

| Picture   | No.  | Description                                      | Carton | Volume(cbm) |
|---|------|--|--------|-------------|
|    | V324 | 20A 1 gang double pole switch+neon               | 100pcs | 0.034       |
|   | V327 | 45A 1 gang double pole switch+neon, single plate | 100pcs | 0.034       |
|  | V329 | 45A 1 gang double pole switch+neon, double plate | 50pcs  | 0.029       |
|  | V331 | 45A switch+neon+13A switched socket+neon         | 50pcs  | 0.029       |



V327

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> DIMMER SWITCHES

| Picture   | No.  | Description                             | Carton | Volume(cbm) |
|---|------|---|--------|-------------|
|  | V350 | 250W 1 gang dimmer switch, single pole  | 100pcs | 0.034       |
|  | V351 | 250W 1 gang speed switch                | 100pcs | 0.034       |
|  | V353 | 250W 2 gang dimmer switch, single pole  | 100pcs | 0.034       |
|  | V355 | 500W 1 gang dimmer switch, single pole  | 100pcs | 0.034       |
|  | V356 | 500W 2 gang dimmer switch, single pole  | 100pcs | 0.034       |
|  | V555 | 1000W 1 gang dimmer switch, single pole | 100pcs | 0.034       |
|  | V556 | 1000W 2 gang dimmer switch, single pole | 50pcs  | 0.029       |










V355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

## Victory Range

### >> 13 AMP SOCKET OUTLETS

| Picture   | No.  | Description                                   | Carton | Volume(cbm) |
|---|------|---|--------|-------------|
|    | V405 | 13A 1 gang switched socket, single pole       | 100pcs | 0.034       |
|    | V406 | 13A 2 gang switched socket, single pole       | 50pcs  | 0.029       |
|    | V409 | 13A 1 gang switched socket, double pole       | 100pcs | 0.034       |
|    | V410 | 13A 2 gang switched socket, double pole       | 50pcs  | 0.029       |
|    | V407 | 13A 1 gang switched socket, single pole+neon  | 100pcs | 0.034       |
|    | V408 | 13A 2 gang switched socket, single pole+neons | 50pcs  | 0.029       |
|   | V411 | 13A 1 gang switched socket, double pole+neon  | 100pcs | 0.034       |
|  | V412 | 13A 2 gang switched socket, double pole+neons | 50pcs  | 0.029       |



V408

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> MULTI FUNCTION SOCKETS

| Picture   | No.    | Description  | Carton | Volume(cbm) |
|---|--------|--|--------|-------------|
|  | V407U  | 13A 1 gang multi-function switched socket, single pole+neon  | 100pcs | 0.034       |
|  | V408U  | 13A 2 gang multi-function switched socket, single pole+neons | 50pcs  | 0.029       |
|  | V407DU | 1 gang 5 pin multi-function socket, single pole+neon         | 100pcs | 0.034       |
|  | V408DU | 2 gang 5 pin multi-function socket, single pole+neons        | 50pcs  | 0.029       |



V407U

### >> 13AMP SOCKETS WITH USB OUTLET

| Picture   | No.    | Description  | Carton | Volume(cbm) |
|---|--------|--|--------|-------------|
|  | V4051  | 13A 1 gang switched socket, single pole+USB socket         | 100pcs | 0.034       |
|  | V4062  | 13A 2 gang switched socket, single pole+2 USB sockets      | 50pcs  | 0.029       |
|  | V407U1 | 13A 1 gang multi-function switched socket, neon+USB socket | 100pcs | 0.034       |
|  | V407U2 | 13A 1 gang switched socket, neon+2 USB sockets             | 100pcs | 0.034       |



V407U1

- Conform to BS 1363 & EN 60950-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)



## Victory Range

### >> 13 AMP FUSED CONNECTION UNITS

| Picture   | No.  | Description                    | Carton | Volume(cbm) |
|---|------|--------------------------------|--------|-------------|
|  | V413 | 13A fused connection unit+neon | 100pcs | 0.034       |
|  | V419 | 13A switched FCU'S+neon        | 100pcs | 0.034       |



■ Conform to BS 1363: Part 4






### >> 15 AMP SOCKET OUTLETS

| Picture   | No.  | Description                               | Carton | Volume(cbm) |
|---|------|---|--------|-------------|
|  | V429 | 15A 1 gang switched round-pin socket      | 100pcs | 0.034       |
|  | V431 | 15A 1 gang switched round-pin socket+neon | 100pcs | 0.034       |



■ Conform to BS 546

### >> 16 AMP SOCKET

| Picture   | No.  | Description   | Carton | Volume(cbm) |
|---|------|---|--------|-------------|
|  | V444 | 16A 2 gang multi-function socket                        | 100pcs | 0.034       |
|  | V445 | 16A 1 gang multi-function socket+20A single pole switch | 100pcs | 0.034       |
|  | V446 | 16A 1 gang multi-function socket+20A double pole switch | 100pcs | 0.034       |
|  | V458 | shaver socket   | 25pcs  | 0.029       |
|  | V460 | 16A 1 gang multi-function socket                        | 100pcs | 0.034       |



■ Material: Bakelite  
■ Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)



## Victory Range

### >> CO-AXIAL & SATELLITE OUTLETS

| Picture   | No.  | Description                   | Carton | Volume(cbm) |
|---|------|-------------------------------|--------|-------------|
|  | V432 | coaxial socket, single outlet | 100pcs | 0.034       |
|  | V433 | coaxial socket, twin outlet   | 100pcs | 0.034       |
|  | V166 | single satellite socket       | 100pcs | 0.034       |
|  | V168 | double satellite socket       | 100pcs | 0.034       |



### >> TELEPHONE & DATA OUTLETS

| Picture   | No.  | Description                         | Carton | Volume(cbm) |
|---|------|-------------------------------------|--------|-------------|
|    | V452 | telephone socket                    | 100pcs | 0.034       |
|   | V438 | 1 gang telephone socket, secondary  | 100pcs | 0.034       |
|  | V439 | 1 gang telephone socket, master     | 100pcs | 0.034       |
|  | V440 | 2 gang telephone socket, secondary  | 100pcs | 0.034       |
|  | V442 | 1 gang RJ45 data socket(8 terminal) | 100pcs | 0.034       |
|  | V443 | 2 gang RJ45 data socket(8 terminal) | 100pcs | 0.034       |



### >> CONNECTION PLATE & BLANK PLATE

| Picture   | No.  | Description          | Carton | Volume(cbm) |
|---|------|----------------------|--------|-------------|
|  | V820 | 20A connection plate | 100pcs | 0.034       |
|  | V821 | 45A connection plate | 100pcs | 0.034       |
|  | V401 | 1 gang blank plate   | 200pcs | 0.034       |
|  | V402 | 2 gang blank plate   | 100pcs | 0.029       |



■ Conform to BS 5733  
■ Material: Bakelite  
■ Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)