

## White Range

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W301	1 gang 1 way switch	100pcs	0.034
	W302	1 gang 2 way switch	100pcs	0.034
	W313	1 gang 2 way intermediate switch	100pcs	0.034
	W303	2 gang 1 way switch	100pcs	0.034
	W304	2 gang 2 way switch	100pcs	0.034
	W305	3 gang 1 way switch	100pcs	0.034
	W306	3 gang 2 way switch	100pcs	0.034
	W307	4 gang 1 way switch(3×6)	50pcs	0.029
	W308	4 gang 2 way switch(3×6)	50pcs	0.029
	W309	6 gang 1 way switch(3×6)	50pcs	0.029
	W310	6 gang 2 way switch(3×6)	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee





# WHITE RANGE

High quality moulded white wiring accessories which has become well established over the last 12 years with proven quality and value.



## White Range





### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	W317	10A bell switch(bell)	100pcs	0.034
	W319	10A bell switch(bell)+neon	100pcs	0.034



- Conform to BS EN 60 669-1

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W324	20A 1 gang double pole switch+neon	100pcs	0.034
	W327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	W329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	W331	45A switch+neon+13A switched socket+neon	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> DIMMER SWITCHES









Picture	No.	Description	Carton	Volume(cbm)
	W350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	W351	250W 1 gang speed switch	100pcs	0.034
	W353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	W355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	W356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	W555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	W556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

## White Range

### >> 13 AMP SOCKET OUTLETS


Picture	No.	Description	Carton	Volume(cbm)
	W405	13A 1 gang switched socket, single pole	100pcs	0.034
	W406	13A 2 gang switched socket, single pole	50pcs	0.029
	W409	13A 1 gang switched socket, double pole	100pcs	0.034
	W410	13A 2 gang switched socket, double pole	50pcs	0.029
	W407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	W408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	W411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	W412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	W407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	W408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	W407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	W408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



### >> 13AMP SOCKETS WITH USB OUTLET



Picture	No.	Description	Carton	Volume(cbm)
	W4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	W4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	W407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	W407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.034



- Conform to BS 1363 & EN 60950-1

## White Range

### >> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	W413	13A fused connection unit+neon	100pcs	0.034
	W419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

### >> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W429	15A 1 gang switched round-pin socket	100pcs	0.034
	W431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546

### >> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	W444	16A 2 gang multi-function socket	100pcs	0.034
	W445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	W446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	W458	shaver socket	25pcs	0.029
	W460	16A 1 gang multi-function socket	100pcs	0.034



■ Conform to BS 4573, BS60742

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W432	coaxial socket,single outlet	100pcs	0.034
	W433	coaxial socket,twin outlet	100pcs	0.034
	W166	single satellite socket	100pcs	0.034
	W168	double satellite socket	100pcs	0.034



## White Range

### >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W452	telephone socket	100pcs	0.034
	W438	1 gang telephone socket,secondary	100pcs	0.034
	W439	1 gang telephone socket,master	100pcs	0.034
	W440	2 gang telephone socket,secondary	100pcs	0.034
	W442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	W443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



### >> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	W820	20A connection plate	100pcs	0.034
	W821	45A connection plate	100pcs	0.034
	W401	1 gang blank plate	200pcs	0.034
	W402	2 gang blank plate	100pcs	0.029



■ Conform to BS 5733  
 ■ Material: Bakelite  
 ■ Dimension: 86.5×86.5 mm (1 gang)  
 86.5×146.5 mm (2 gang)

